

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio medical waste treatment facility (CBWTF)]

S.No.	Particulars	
1.	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	The Director
	(ii) Name of HCF or CBMWTF	Vallabhbhai Patel Chest Institute
	(iii) Address for Correspondence	University of Delhi, Delhi-110007
	(i) Address of Facility	University of Delhi, Delhi-110007
	(ii) Tel. No. Fax. No.	011.27402408
	(iii) E-mail ID	
	(i) URL of Website	https:// www.vpci.org.in/
	(ii) GPS coordinates of HCF of CBMWTF	28.6906* N, 77.2099* E
	(iii) Ownership of HCF of CBMWTF	MOHFW, maintained by Univeristy
	(iv) Status of Authorization under the bio-medical Waste (management and Handling) rules.	Authorization No. DPCC/(11)(5)(01)/ND/BMW/2019/NST/AUTH No./96/21120, Dtd.30.12.2019 Valid up to 19.02.2024
	(v) Status of Consents under Water Act and Air Act.	Valid up to 19.02.2024
2.	Type of Health Care Facility	Delhi University maintained Central Govt institute for Postgraduate education & patient care under MCI regulation
	(i) Bedded Hospital	No. of Beds: 128
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	N/A
	(iii) License number and its date of expiry	N/A
3.	Details if CBMWTF	N/A
	(i) Number healthcare facilities covered by CBMWTF	
	(ii) No. of Bes covered by CBMWTF	
	(iii) Installed treatment and disposal capacity of CBMWTF	NA Kg per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	NA Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow category: 6690.89 (Ave 18.33 Kgs)
		Red Category: 9174.36 (Ave 25.13 Kgs)
		White:- 291.95 Kgs (Ave 0.79 Kgs)
		Blue Category: 3249.94 (Ave 8.90 Kgs)
		General solid Waste: 7300 Kg Appx.

5.	Details of the Storage, treatment, transportation, processing and Disposal Facility	
	(i) Details of the on-site storage facility	Size 4.80m x 1.60m x 2.72m
		Capacity: 20.90 Cum or 700Cft
		Provision of on-site storage: (cold storage or any other provision)
	(ii) Disposal Facilities	Type of treatment No. Capacity Quantity equipment of Kg/day treated or Units Disposed in Kg per Annum Incinerators- Plasma Paralysis- Autoclaves-1 (microbiology Dept) Microwave 2 (Ward) Hydroclave- Shredder- Needle tip cutter or destroyer- 10 Sharps Encapsulation or Concrete pit Deep Burial Pits: Chemical Disinfection: Any other treatment STP 2 Nos 20KLD (Each) equipment:
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	Red Category (like plastic, glass etc) N/A
	(iv) No of vehicles used for collection and transportation of biomedical waste.	2
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	Quantity Generated Where disposal Incineration Ash ETP sludge-No ETP plant yet
6.	(vi) Name of the Common Bio-medical Waste Treatment Facility Operator through which wastes re disposed of	M/s SMS Water grace BMW Pvt Ltd 405, 4 th Floor, 32-33, kaushal Bazar, Nehru Place, New Delhi-110019
	(vii) List of member HCF not handed over bio-medical waste.	N/A
6.	Do you have bio-medical waste management committee? if yes, attach minutes of the meetings held during the reporting period.	N/A
7.	Detail trainings conducted on BMW	
	(i) Number of training conducted on BMW Management.	1
	(ii) Number of personnel trained	40
	(iii) Number of personnel trained at the time of induction	30

	(iv) Number of personnel not undergone any training so far.	Nil
	(v) Whether standard manual for training is available?	No
	(vi) Any other information	-
8.	Details of the accident occurred during the year	-
	(i) Number of Accidents occurred	Nil
	(ii) Number of the persons affected	N/A
	(iii) Remedial Action taken (Pease attach details if any)	
	(iv) Any Fatality occurred, details.	Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	N/A
	Details of continuous online emission monitoring systems installed	N/A
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year	NO ETP
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes
12.	Any other relevant information	(Air Pollution Control Device attached with incinerator.) N/A

Certified that the above report is for the period from January 2020 to December 2020.

Head of the Institution
Prof. (Dr.) Raj Kumar

Nodal Officer
Prof. Malini Shariff

Date:
Place;