

**बिड दस्तावेज / Bid Document**

| बिड विवरण/Bid Details                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| बिड बंद होने की तारीख/समय /Bid End Date/Time                                                                                                                                                                             | 03-09-2025 16:00:00                                                                                                                                                                                                                                              |
| बिड खुलने की तारीख/समय /Bid Opening Date/Time                                                                                                                                                                            | 03-09-2025 16:30:00                                                                                                                                                                                                                                              |
| बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)                                                                                                                                                | 180 (Days)                                                                                                                                                                                                                                                       |
| मंत्रालय/राज्य का नाम/Ministry/State Name                                                                                                                                                                                | Ministry Of Education                                                                                                                                                                                                                                            |
| विभाग का नाम/Department Name                                                                                                                                                                                             | Department Of Higher Education                                                                                                                                                                                                                                   |
| संगठन का नाम/Organisation Name                                                                                                                                                                                           | Delhi University                                                                                                                                                                                                                                                 |
| कार्यालय का नाम/Office Name                                                                                                                                                                                              | Vallabhnbhai Patel Chest Institute                                                                                                                                                                                                                               |
| कुल मात्रा/Total Quantity                                                                                                                                                                                                | 10                                                                                                                                                                                                                                                               |
| वस्तु श्रेणी /Item Category                                                                                                                                                                                              | NIV Ventilator for Adult and Paediatric (Q2)                                                                                                                                                                                                                     |
| टर्नओवर के लिए एमएसई को छूट प्राप्त है / MSE Exemption for Turnover                                                                                                                                                      | Yes   Complete                                                                                                                                                                                                                                                   |
| टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है / Startup Exemption for Turnover                                                                                                                                              | Yes   Complete                                                                                                                                                                                                                                                   |
| विक्रेता से मांगे गए दस्तावेज/Document required from seller                                                                                                                                                              | Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC)<br>*In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer |
| क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेजों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid? | Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)                                                                                           |
| बिड लगाने की समय-सीमा बढ़ाने के लिए आवश्यक न्यूनतम सहभागी विक्रेताओं की संख्या। / Minimum number of bids required to disable automatic bid extension                                                                     | 1                                                                                                                                                                                                                                                                |
| दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended                                                                                                      | 7                                                                                                                                                                                                                                                                |
| बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled                                                                                                                                                                       | No                                                                                                                                                                                                                                                               |



| बिड विवरण/Bid Details                                                                                                                                                                |                             |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|
| बिड का प्रकार/Type of Bid                                                                                                                                                            | Two Packet Bid              |
| तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation                                                    | 5 Days                      |
| निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM) | No                          |
| अनुमानित बिड मूल्य /Estimated Bid Value                                                                                                                                              | 2200000                     |
| मूल्यांकन पद्धति/Evaluation Method                                                                                                                                                   | Total value wise evaluation |
| मध्यस्थता खंड/Arbitration Clause                                                                                                                                                     | No                          |
| सुलह खंड/Mediation Clause                                                                                                                                                            | No                          |

#### ईएमडी विवरण/EMD Detail

|                             |                     |
|-----------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank | State Bank of India |
| ईएमडी राशि/EMD Amount       | 55000               |

#### ईपीबीजी विवरण /ePBG Detail

|                                                                   |                     |
|-------------------------------------------------------------------|---------------------|
| एडवाइजरी बैंक/Advisory Bank                                       | State Bank of India |
| ईपीबीजी प्रतिशत (%) /ePBG Percentage(%)                           | 5.00                |
| ईपीबीजी की आवश्यक अवधि (माह) /Duration of ePBG required (Months). | 62                  |

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

#### लाभार्थी /Beneficiary :

Director  
Vallabhbbhai Patel Chest Institute, Deputy Registrar Office, Administrative Block, 3rd Floor, M.S. Building,  
University of Delhi, Delhi-110007  
(Director, Vpci)

#### विभाजन/Splitting



बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

**एमआईआई खरीद वरीयता/MII Purchase Preference**

|                                            |     |
|--------------------------------------------|-----|
| एमआईआई खरीद वरीयता/MII Purchase Preference | Yes |
|--------------------------------------------|-----|

**एमएसई खरीद वरीयता/MSE Purchase Preference**

|                                           |     |
|-------------------------------------------|-----|
| एमएसई खरीद वरीयता/MSE Purchase Preference | Yes |
|-------------------------------------------|-----|

1. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be exempted from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover, shall upload the supporting documents to prove his eligibility for exemption.
2. If the bidder is a DPIIT registered Startup, the bidder shall be exempted from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking exemption from Turnover shall upload the supporting documents to prove his eligibility for exemption.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.  
OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.
4. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 OM No.1 4 2021 PPD dated 18.05.2023 for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any



impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

### NIV Ventilator For Adult And Paediatric ( 10 pieces )

(क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक/Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively)

#### तकनीकी विशिष्टियाँ /Technical Specifications

\* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

| विवरण/Specification | विशिष्टि का नाम /Specification Name   | बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)                                                                                                     |
|---------------------|---------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| GENERAL             | Product Description                   | NIV Ventilator for Adult and Pediatric                                                                                                                              |
| PRODUCT INFORMATION | <b>Modes of Ventilation</b>           | Volume Control (VC-CMV, VC-AC, VC-SIMV), Pressure Control (PC-CMV, PC-AC, PC-SIMV), Spontaneous modes like CPAP, and pressure support (PS), Spontaneous Timed (S/T) |
|                     | <b>Tidal Volume Range</b>             | 20 to 2000 ml, 50 to 2000 ml                                                                                                                                        |
|                     | <b>Alarms</b>                         | Disconnection, Apnea, High/low pressure, High/low respiratory rate, Power failure                                                                                   |
|                     | <b>Remote Monitoring Capabilities</b> | Yes, No                                                                                                                                                             |
| ACCESSORIES         | <b>Patient Circuits</b>               | Adult, Paediatric, Adult and Paediatric                                                                                                                             |
|                     | <b>Patient circuit Utility</b>        | Reusable, Disposable                                                                                                                                                |
| WARRANTY            | <b>Warranty (Year)</b>                | 5 Or higher (year)                                                                                                                                                  |

#### Additional Specification Parameters - NIV Ventilator For Adult And Paediatric ( 10 pieces )

| Specification Parameter Name                                                                                                         | Bid Requirement (Allowed Values)                                                                                                                                                                                                                    |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Terms and Conditions related to required technical specifications for NIV Ventilator for Adult and Paediatric (NIV for hospital use) | Please see actual specifications in Buyer Added Bid specific ATC and Complete tender document as per E-tender notice no. VPCI/PUR/GEM/16-1/OT/25-26/28 (PDF File) attached in Buyer added Bid specific Terms and conditions attached in Point no. 3 |

\* Bidders offering must also comply with the additional specification parameters mentioned above.

#### परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

| क्र.सं./S.No. | परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|-------------|------------------|------------------------------|
|---------------|---------------------------------------------------------|-------------|------------------|------------------------------|



| क्र.सं./S.No. | प्रेषित/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer | पता/Address                                                                                                        | मात्रा /Quantity | डिलीवरी के दिन/Delivery Days |
|---------------|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| 1             | Sunil Kumar                                             | 110007,VALLABHBHAI PATEL CHEST INSTITUTE, NORTH CAMPUS, OPPOSITE SHRI RAM COLLEGE OF COMMERCE, UNIVERSITY OF DELHI | 10               | 60                           |

**Special terms and conditions-Version:1 effective from 15-04-2024 for category NIV Ventilator for Adult and Paediatric**

1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
2. The sellers are registered on GeM based on self declaration of valid Medical Device License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of Medical Device license, product certification, manufacturer certification/licenses, test reports etc.
3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of Medical Device license held by them.
4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions (GTC), whenever there are any conflicting provisions.
6. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
7. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
8. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
9. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,, Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of



goods and any other relevant details.

10. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
11. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
12. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
13. **Software:** All software updates should be provided free of cost during warranty period.

## क्रमांक द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be  $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$ , subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Technical Bid

1. Please See Complete Tender Document as per e-tender notice no. VPCI/PUR/GEM/16-1/OT/25-26/28) (PDF File) attached in Buyer Added Bid Specific Terms & Conditions attached in Point no. 3.
2. All Bidders are requested to go through the Tender Document carefully and submit all the required Annexures with the Technical Bid while submitting the bid.
3. All Bidders are requested to provide the brochure of the quoted model of NIV Ventilator for Adult and Paediatric(NIV for hospital use) highlighting the specifications as per the tender document.
4. The demonstration of the quoted model of NIV Ventilator for Adult and Paediatric(NIV for hospital use) is necessary during the Technical Evaluation of bid/s as per the tender specifications mentioned below:

#### All Specifications for NIV Ventilator for Adult and Paediatric(NIV for hospital use)

1. Product description: NIV Ventilator for Adult and Pediatric
2. Non-Invasive Ventilator having invasive application capabilities for Adult and Paediatrics usage(above 13kgs)



3. It should be a light & compact device combining unique latest NIV features with simplicity in use.
4. Modes of Ventilation: S/T (Spontaneous/Timed), PAC (Pressure Assisted Control), CPAP (Continuous Positive Airway Pressure), S (Spontaneous), T (Timed), Volume Assured Pressure Support (to ensure Alveolar ventilation).
5. Should incorporate Latest algorithms for leak compensation and synchronization. Both should work together to provide control and flexibility to improve ventilation, comfort and sleep better disease management increased patient comfort and therapy acceptance (patient's breathing 'in sync' with their device)
6. It should have Colour screen for real-time monitoring to provide essential information including simultaneously viewed flow & pressure curves, the Ti-bar graph to fine-tune ventilation, SpO2 & FiO2 monitoring.
7. The machine should have a choice of disease-specific pre-set values Defaults (for obstructive, restrictive, normal lung mechanics and obesity hypoventilation) based on commonly used clinical values to help the users for optimizing settings.
8. Should have built in internal battery for minimum 2 hours of back up time.
9. Should include user adjustable alarms and essential non-adjustable, fixed alarms for patient safety.
10. Should have oxygen inlet port to accept higher flow up to 30L/min of oxygen to achieve a high FiO2 with built in FiO2 monitoring.
11. Should have approved to be used for tracheostomy patient.
12. Data download capability- The usage and summary data for up to 365 treatment sessions and seven days of high resolution, breath by breath data (Including SPO2 and FiO2) Should be stored in the device, data can be downloaded via USB or cable, using a data management PC application
13. It should also provide patients reminders such as filter and mask replacements.
14. Pressure range: IPAP: 2-40 cm H2O & EPAP: 2-25 H2O
15. Ti-Control Setting: Ti Max 0.1-4 & Ti Min 0.1-Ti Max
16. Respiratory Rate: 5-60bpm
17. Rise Time: Min 150-900 m sec (approx.)
18. Trigger and Cycle: Min 5 sensitivity settings
19. Adjustable alarms: High leak, Low Minute Ventilation, High Pressure, Low Pressure, Low/High Respiratory Rate, Apnoea, Low/High Fio2, Low Spo2, Non-Vented Mask
20. Standard fixed alarms: Circuit disconnected, overpressure, Block tube, internal Battery empty.
21. Weight: 3-5Kgs.
22. Air filters: Electrostatics fibre mesh.
23. Air outlets: Compatible with ISO 5356-1:2004.
24. Power supply: AC 100-240 50-60 Hz
25. Device DC Input: 24V/3A
26. Should have capability to provide remote monitoring (optional)
27. Should have option of spO2 and Fio2 monitoring capability
28. Demo of quoted model shall be mandatory with IMT, TSI, ETC equivalent calibration tool for pressure monitoring. Demo device may be used in clinical setting.
29. Warranty: 5 years comprehensive warranty
30. All the attached (Including irreparable items) accessories must be repaired/replaced, to take care of BIPAP during warranty/Guarantee period to ensure proper and uninterrupted functioning without any extra cost.



31. Fix price for CMC for 5 years post warranty (6<sup>th</sup> to 10<sup>th</sup> years) @5%
32. Should have service center in Delhi NCT to provide service within 24 hours of breakdown
33. Autoclavable patient circuit, oxygen connector should be supplied
34. Disposable and reusable mask of Large, medium and small set of 2 each to be provided with each device
35. Should be BIS/ISO/CE(European)/USFDA approved
36. Should have safety certificate from Competent Authority-CE(European) or USFDA or BIS
37. Company has to provide training to all the staff, as & when required

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

## अस्वीकरण/Disclaimer

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for attached categories, trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.
15. Buyer added ATC Clauses which are in contravention of clauses defined by buyer in system generated bid template as indicated above in the Bid Details section, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by GeM GTC.
16. In a category based bid, adding additional items, through buyer added additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogs or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of



Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

**All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.**

यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---